



A cut above the rest. European inspired fasteners that add class and style with attention to the little details.



A CUT ABOVE THE REST

SKÄRA screws are a cut above the rest. European inspired fasteners that add class and style with attention to the little details.

Premium design allows for easy drilling into hardwoods and other exterior timber structures. The SKÄRA screw is not limited to a specific job, they can be used in a wide variety of applications. Ideal for: wooden facades, fencing, decks, board walks, wooden flooring, timber structure construction, retaining walls.

Available in countersunk and Pan Washer head.

The Pan Washer head screw – can be used as an alternative where a coach screw and washer would normally be used. No pre drilling required*.




Double fixing thread



Modified T17 tip



Torx Drive



High grade hardened steel.

Heavy duty wood construction screws.

No pre drilling required* due to type 17 cutting point.


Twice as fast installation speed compared to coach screws.

Milling ribs on the shank for lower screwing torque. Smoother drive.

KTX-Nano coating Class 4. material 10B21 + bending angle > 30°.


* Except in some hardwoods. Fortress® always recommends you talk with your local timber merchant expert before drilling or screwing timbers.

SKÄRA PAN WASHER SCREW



DIAMETER mm	SIZE (L)	PART CODE	PACK QTY	(A) HEAD DIAMETER mm	(S) THREAD LENGTH mm	TORX DRIVE	TORQUE Kgf.cm
6	80mm	SKAPWTM680C4	100	15	51.5	TX-30	108
	100mm	SKAPWTM6100C4	100		51.5		
	120mm	SKAPWTM6120C4	100		51.5		
	140mm	SKAPWTM6140C4	100		81.5		
	160mm	SKAPWTM6160C4	100		81.5		
8	80mm	SKAPWTM880C4	50	23	51.5	TX-40	250
	100mm	SKAPWTM8100C4	50		51.5		
	120mm	SKAPWTM8120C4	50		51.5		
	140mm	SKAPWTM8140C4	50		81.5		
	160mm	SKAPWTM8160C4	50		81.5		
10	200mm	SKAPWTM8200C4	50	26	81.5	TX-50	357
	80mm	SKAPWTM1080C4	50		51.5		
	100mm	SKAPWTM10100C4	50		61.5		
	120mm	SKAPWTM10120C4	50		81.5		
	140mm	SKAPWTM10140C4	50		81.5		
	160mm	SKAPWTM10160C4	25		81.5		
	180mm	SKAPWTM10180C4	25		81.5		
	220mm	SKAPWTM10220C4	25		81.5		
	240mm	SKAPWTM10240C4	25		81.5		
	260mm	SKAPWTM10260C4	25		81.5		
280mm	SKAPWTM10280C4	25	81.5				
300mm	SKAPWTM10300C4	25	81.5				
360mm	SKAPWTM10360C4	25	81.5				

SKÄRA COUNTERSUNK SCREW



The bottom view of the head



DIAMETER mm	SIZE (L)	PART CODE	PACK QTY	(A) HEAD DIAMETER mm	(S) THREAD LENGTH mm	TORX DRIVE	TORQUE Kgf.cm
8	100mm	SKACTM8100C4	50	15	50	TX-40	250
	120mm	SKACTM8120C4	50		50		
	140mm	SKACTM8140C4	50		50		
10	100mm	SKACTM10100C4	50	18.10	50	TX-50	357
	120mm	SKACTM10120C4	50		50		
	140mm	SKACTM10140C4	50		50		
	160mm	SKACTM10160C4	50		50		



Auckland (Head Office)

560 Rosebank Road, Avondale
Phone 09 828 2777
Fax 09 828 2424

Albany

2 Ride Way, Albany
Phone 09 414 7620
Fax 09 414 7410

Hamilton

51 Vickery Street, Te Rapa
Phone 07 850 8434
Fax 07 850 5696

Mount Maunganui

7 Newton Street
Phone 07 575 0508
Fax 07 575 0557

Hastings

199 St. Aubyn Street West
Phone 06 873 3311
Fax 06 873 3315

New Plymouth

Steel & Tube Distribution Building
62 De Havilland Drive, Bell Block
Phone 06 824 8950 or 06 824 8951
Fax 06 757 4391

Palmerston North

94 Kaimanawa Street
Phone 06 355 5990
Fax 06 355 5880

Wellington

6 Regent Street, Petone
Phone 04 586 2300
Fax 04 586 2600

Christchurch

66 Hammersmith Drive, Sockburn
Phone 03 343 6740
Fax 03 343 6741



FORTRESS[®]
FASTENERS

WWW.FORTRESS.KIWI